

Hardtop

topcoats for superior finishes



Hardtop TOPCOATS


Superior finishes for all structures

The premium topcoat brand

Jotun has supplied premium topcoats for heavy corrosion systems all over the world for decades. To make selection easier, Jotun has gathered all two component topcoats under the following umbrella brand - Hardtop. The number one selling technology platform today is polyurethanes, but we see increased interest for other technologies such as polysiloxanes and two component acrylics. All these technologies may be found under the Hardtop brand today.

Jotun customers today demand more than just good colour stability. Elements like abrasive resistance, flexibility, VOC levels and gloss retention are just as important. Jotun has thus taken these complex customer demands into consideration, and now offer different products and technologies to fill individual needs. We are certain that you will find products that cover your topcoat needs in this brochure.





Core products in the Hardtop range

- **Hardtop XP:** high solid polyurethane with excellent application properties
- Hardtop Flexi: flexible and impact resistant polyurethane
- **Hardtop AS:** high gloss polyurethane with excellent chemical resistant properties
- Hardtop HB: low gloss polyurethane
- Hardtop Optima: polysiloxane topcoat with excellent finish and gloss retention
- **Hardtop CA**: two-component isocyanate free acrylic with a wide colour range



Topcoat in a coating system

The topcoat must also be compatible with the anticorrosive primer system. Jotun is taking good care to secure good adhesion and appearance in the finished system. To ensure the success of the paint system it is important to use recommended primers and application data given in technical data sheets.





Hardtop XP

The Number 1 selling polyurethane topcoat, retaining its gloss level over extended periods



Hardtop XP is one of the most popular polyurethane topcoats – protecting millions of square metres every year. It is available worldwide and is a favourite topcoat among painters. Hardtop XP is extremely versatile and can be applied by airless spray, brush or roller on a wide range of primers. Roller application properties are excellent with good flow and finish. Low dry spray makes the gloss level predictable and on-site friendly. Hardtop XP has great gloss and colour retention, and gives a better finish, less spills and lower paint consumption.

The Number 1 selling polyurethane topcoat for heavy corrosion systems

- Excellent colour and gloss retention
- Excellent application properties
- Excellent brush and roller application properties
- VOC compliant and high solids formulation

Hardtop FLEXI

High standards of flexibility, durability, gloss and

impact resistance

Hardtop Flexi is a high solids (64% volume) polyurethane topcoat with excellent wetting and adhesion properties. Hardtop Flexi has a remarkable ability to resist impact and will maintain initial gloss level over extended periods.

Low VOCs, application of single coats up to 150 microns and fast drying add to the features of Hardtop Flexi. This is one of the few products that contain anticorrosive pigments for best direct to metal performance.

Exceptional flexibility and impact resistance

- Can be applied in thick coats
- Great adhesion to most primers and substrates
- Direct to metal performance
- Contains anticorrossive pigmentation
- Slighly lower gloss level works as a 'hider of imperfections'
- Good gloss retention
- VOC compliant



Hardtop AS

Decades of world proven performance



Hardtop AS is a topcoat with a very long track record. Millions of litres have been sold all around the world. This versatile polyurethane has been a favourite for decades and has proven performance. Hardtop AS is the best choice when great chemical or solvent performance is important.

A versatile topcoat for steel and other metals, concrete & plastics

- Excellent colour and gloss retention
- Good adhesion
- Good chemical resistance
- Well proven formulation

Hardtop HB

Smooth low gloss finish



When a lower level of gloss is required Hardtop HB is a good choice.

Properties are similar to the well proven Hardtop AS, but with a lower gloss level.

The most popular low gloss polyurethane

- Smooth low gloss finish
- Possible to apply in higher film thickness
- 4:1 mixing ratio easy to mix
- Low gloss hides imperfections in the surface

Hardtop OPTIMA

Ultimate lasting gloss appearance

Hardtop Optima is a high solids product based on a polysiloxane resin with outstanding gloss and colour retentionthat provides superior corrosion protection. Hardtop Optima has optimal adhesion to selected primers, while maintaining its flexibility throughout the system's working life. Extra focus has been put on achieving a formulation that ensures predictable curing. The recommended selection of compatible primers is limited to enable a long-life world class system.

For long lasting performance

- Excellent colour and gloss retention
- Excellent VOC values
- Excellent finish
- Fast drying
- Long lasting flexibility formulation
- Urethane-free



Hardtop CA

The acrylic alternative to a polyurethane topcoat



Hardtop CA ia a two-component acrylic topcoat with good colour and gloss retention and is an excellent alternative to a polyurethane topcoat. This crosslinked acrylic has a predictable curing that is appreciated by customers. Hardtop CA is available in a wide range of colours through the MCI colour system.

Flexible, abrasion, chemical and water resistant

- Good weather resistance
- Isocyanate free
- Predictable curing
- VOC compliant

Hardtop Topcoats for superior finishes

	Hardtop XP	Hardtop Flexi	Hardtop AS
Technology	Polyurethane	Flexible PU	Polyurethane
Gloss level	Glossy	Glossy	Glossy
Thinner	No. 10	No. 10	No. 10
Colours	Unlimited	Unlimited	Unlimited
Solids (volume %)	63% ± 2	64% ± 2	50% ± 2
Film thickness:			
Typical	60 μm	80 μm	50 μm
Dry	40-80 μm	50-150 μm	40–60 μm
Wet	65–160 μm	80-230 μm	80–120 μm
DRYING TIME (23°C):			
Surface dry	3h	1.5h	1h
Dry to recoat, min	7h	3h	5h
Mixing ratio	10:1	4:1	4:1
Potlife (+23°C)	1.5h	1h	4h
Flash point (Setaflash)	30°C ± 2	25°C ± 2	26°C ± 2
Gloss retention	Excellent	Good	Excellent
Water resistance	Very good	Very good	Very good
Abrasion resistance	Very good	Very good	Very good
Chemical resistance	Good	Very good	Very good
Flexibility	Very good	Excellent	Very good
VOC level (PG6)	320	310	415





Hardtop HB	Hardtop Optima	Hardtop CA
Polyurethane	Polysiloxane	Modified acrylic
Flat	Glossy	Glossy
No. 10	No. 7 or 17	No. 7 or 17
Unlimited	Unlimited	Unlimited
50% ± 2	76% ± 2	60% ± 2
80 μm	75 μm	75 μm
60–100 μm	60–100 μm	60–125 μm
120–200 μm	80–130 μm	100–210 μm
2h	3h	2.5h
6h	4h	5h
4:1	4:1	9:1
4h	6h	4h
26°C ± 2	30°C ± 2	28°C ± 2
Excellent	Excellent	Good
Very good	Very good	Very good
Very good	Very good	Good
Very good	Very good	Good
Very good	Good	Excellent
418	215	340
		· · · · · · · · · · · · · · · · · · ·





England www.rmpdesign.com Part Number: 8MM0538617 Designed and produced by RMP Design & Marketing Ltd, Hull,

Legal Jotun entities worldwide are listed. For details of Branch offices and Jotun representation in countries not listed, please visit **jotun.com**

AUSTRALIA

Jotun Australia Pty. Ltd., P.O. Box 105, Altona North, 9 Cawley Road, BROOKLYN, VIC 3025 Tel: +61 3 9314 0722 Fax: +61 3 9314 0423

BRAZIL

Jotun Brasil Ltda Av Santa Luzia, 2084 - Santa Luzia 24.722-315 São Gonçalo RIO DE JANEIRO Tel: +55 21 3147 3850 Fax: +55 21 3147 3861

Jotun Cyprus Ltd. 56 Theodorou Potamianou Aphrodite Court, 1st Floor 4155, Kato Polemidia

Tel: +357 25 374455 / 374440 / 374477 Fax: +357 25 374400

Jotun Coatings (Zhangjiagang) Co. Ltd. Jotun COSCO Marine Coatings (Qingdao) Co. Ltd. Floor 20, Jiu Shi Mansions, No. 28 Zhong Shan Road (South) SHANGHAI 200010 Tel: +86 21 6333 080 0 Fax:+86 21 6326 968 6

Jotun Coatings (Zhangjiagang) Co. Ltd. Jotun COSCO Marine Coatings (Qingdao) Co. Ltd. Room 709-12, Goldlion Digital Network Centre, 138 Tiyu Road East, GUANGZHOU, 510620 Tel: +86 20 38 78 07 49 Fax:+86 20 38 78 19 66

HONG KONG Jotun COSCO Marine Coatings (H.K.) Ltd Room 902, 9/F, 101 King's Road, North Point HONG KONG Tel: +852 2527 6466 Fax:+852 2861 1307

Jotun Danmark A/S Jotun Coatings Columbusvej 5, 2860 Søborg, COPENHAGEN Tel: +45 4492 9400 Fax:+45 4492 9401

EGYPT

El Mohandes Jotun S.A.E. El Sheikh Aly Gad El Haq Street Florida Mall, Masaken Sheraton - 4th Floor CAIRO Tel: +20 2265 1800 Fax:+20 2265 1801

FINI AND

Nor-Maali OY Vanhatie 20, 15240 LAHTI Tel: +358 3 874 650 Fax:+358 3 874 6550

Jotun France S.A. 22/24 Rue du President Wilson, Bat.A 92300 LEVALLOIS PERRET Tel: +33 1 4519 3882 Fax:+33 1 4519 3894

GERMANY

Jotun (Deutschland) GmbH Haferweg 38 22769 HAMBURG Tel: +49 40 851 960 Fax:+49 40 856 234

GREAT BRITAIN

Jotun Paints (Europe) Ltd. Stather Road, Flixborough, SCUNTHORPE DN15 8RR Tel: +44 1724 400 000 Fax:+44 1724 400 100

GREECE

Jotun Hellas Ltd. 18, Vouliagmenis Avenue, Glvfada ATHENS 16675 Tel: +30 210 42 85 980-82 +30 210 42 86 035-37 Fax:+30 210 42 85 983/ +30 210 42 87 237

Jotun India Pvt Ltd. 502, 5th Floor, Boston House. Suren Road, Behind Cinemax Theatre, Andheri East, Mumbai - 400 093 Tel: +91 22 2822 4600 +91 22 2820 5900 (+fax) Fax:+91 22 2820 5900

INDONESIA

P.T. Jotun Indonesia Kawasan Industri MM2100 Blok KK-1, Cikarang Barat Bekasi 17520 Tel: +62 21 8998 2657 Fax:+62 21 8998 2658

IRELAND.

Jotun (Ireland) Ltd., Unit K7, Marina Commercial Park, Centre Park Road, CORK Tel: +353 214 965955 Fax:+353 214 965992

ΙΤΔΙΥ

Jotun Italia S.P.A. Via Petronio, 8, Zona Ind. Noghere 34147 - MUGGIA (TRIESTE) Tel: +39 040 23 98204 Fax:+39 040 23 98222

IAPAN

NKM Coatings Co., Ltd. 12-1, Minamirokugo 3-chome, Ota-ku, TOKYO 144-0045 Tel: +81 3 6758 2212 Fax:+81 3 6758 2213

KOREA (SOUTH)

Chokwang-Jotun Ltd. 30th Block Jisa Science Park, 1205 Jisa-dong, Gangseo-gu, BUSAN 618-230 Tel: +82 517 976 000 Fax:+82 517 117 735

LIBYA

Jotun Libya J.S.Co Almumtaz Co. S.A. (Jotun). Alseka Street P.O. Box 6850 Tel:+218 214777811 Fax:+218 214780718

MALAYSIA

Jotun (Malaysia) Sdn. Bhd. Lot 7 Persiaran Perusahaan Section 23, P.O. Box 7050 40700 SHAH ALAM Tel: +60 351 235 500 Fax:+60 351 235 632

THE NETHERLANDS

Jotun B.V. Postbus 208 3200 AE SPLIKENISSE Visiting address: Curieweg 11b, 3208 KJ Spijkenisse ROTTERDAM Tel: +31 181 678 300 Fax:+31 181 617 899

NORWAY

Jotun A/S P.O. Box 2021 3202 SANDEFJORD Visiting address: Hystadveien 167, 3209 Sandefjord Tel: +47 33 45 70 00 Fax:+47 33 45 79 00

Jotun Paints Co. LLC Rusayl Ind. Estate, Road No.10 P.O. Box 672 Code 111, MUSCAT Tel: +968 2444 6100 Fax:+968 2444 6105

PAKISTAN

Jotun Pakistan (Pvt.) Ltd. 2KM Defence Road, Off 9KM Raiwind Road, Adjacent Valencia Homes Gate LAHORE 544770 Tel: +92 423 532 350 0-3 Fax:+92 423 532 1387

PHILIPPINES

Jotun (Philippines) Inc. 846 West Service Road, Km.18 South Super Highway Paranaque City, METRO MANILA 1714 Tel: +63 2239 1032-34 Fax:+63 2822 0760

POLAND.

Jotun Polska Sp.zo.o. ul. Magnacka 15, 80-180 GDAŃSK KOWALE Tel: +48 58 555 1515 Fax:+48 58 781 9692

RUSSIA

Jotun Paints O.O.O. Varshavskaya Str., 23/2, Office 53 196128 ST. PETERSBURG Tel: +7 812 640 00 80 Fax:+7 812 640 00 81

SAUDI ARABIA

Jotun Saudia Co. Ltd. Jeddah Industrial City, Phase 3, P.O. Box 34698, JEDDAH 21478 Tel: +966 2635 0535 / 2636 1271 Fax:+966 2636 2483

SINGAPORE

Jotun (Singapore) Pte. Ltd. 37 Tuas View Crescent Singapore 637236 Tel: +65 650 882 88 Fax:+65 6265 7484

SOUTH AFRICA

Jotun Paints South Africa (PTY) Ltd Wimbledon Road, P.O.Box 187 **BLACKHEATH 7581** Tel: +27 21 905 1070

Fax:+27 21 905 1652

SPAIN

Jotun Iberica S.A. Poligon Santa Rita, Calle Estatica no. 3 08755 Castellbisbal, **BARCELONA** Tel: +34 937 711 800 Fax:+34 937 711 801

SWEDEN

Jotun Sverige AB P.O. Box 151, Klangfärgsgatan 13, 421 22 VÄSTRA FRÖLUNDA Tel: +46 3169 6300 Fax:+46 3169 6397

THAILAND

Jotun Thailand Ltd Amata Nakom Ind. Estate (BIPII) 700/353 Moo 6 Tumbol Donhualoh, Amphur Muang CHONBURI 2000 Tel: +66 38 214 824-6/214 347-51 Fax:+66 38 214 373/375

Jotun Boya San. ve Ticaret. A.S. Hilpark Suites Sitesi No.10, Istinye, 34460 Sariyer - ISTANBUL Tel: +90 21 2279 7878 Fax:+90 21 2279 2549

Abu Dhabi Jotun Abu Dhabi (LLC) P.O. Box 3714, Mussafah ABU DHABI Tel: +971 2691 0700 Fax:+971 2551 0232

P.O. Box 3671, Al Ouoz Industrial Area DUBAI Tel: +971 4339 5000 Fax:+971 4338 0666

USΔ

Jotun Paints Inc. 9203 Highway 23, P.O. Box 159, Belle Chasse, LA 70037 Tel: + 1 713 860 8241 Fax: +1 713 860 8242

VIFTNAM

Jotun Paints (Vietnam) Co. Ltd. Song Than Industrial. Zone, No.1 Street 10, Di An District, Binh Duong Province Tel: +84 650 3742206 Fax:+84 650 374 2205

YEMEN

Jotun Yemen Paints Co. Ltd P.O. Box 70183, Al Alam ADEN Tel: +967 2820 546-9 Fax:+967 2249 362

